

Table 2: Insertion Rate (IR) Comparison

Bench	#Vias	Un-constrained	SP-ILP	DP-ILP	DP-Ap	TP-ILP	TP-Ap
efc	4983	98.45	75.15	98.29	96.84	98.41	97.89
ecc	5523	99.02	78.68	98.80	97.44	98.98	98.62
ffu	7026	98.57	76.77	98.47	97.35	98.54	97.93
alu	7046	98.32	72.79	98.15	96.39	98.29	97.44
byp	28847	93.88	70.21	N/A	91.35	N/A	92.88
mul	62989	98.55	68.59	N/A	94.91	N/A	96.86
Avg.	19402	97.80	73.70	N/A	95.71	N/A	96.94

redundant via insertion with multiple patterning simultaneously. To improve scalability, we propose an approximation algorithm with LP relaxation and rounding to solve the problem efficiently. The experimental results demonstrate that our methods can insert redundant via with the consideration of DSA guiding template shapes without much loss of insertion rate. Our methods can be adaptive to different technology nodes as well.

Acknowledgment

This work is supported in part by National Science Foundation (NSF), Semiconductor Research Corporation (SRC), and CUHK Direct Grant for Research.

7. REFERENCES

- [1] Yuriko Seino, Hiroki Yonemitsu, Hironobu Sato, Masahiro Kanno, Hirokazu Kato, Katsutoshi Kobayashi, Ayako Kawanishi, Tsukasa Azuma, Makoto Muramatsu, Seiji Nagahara, Takahiro Kitano, and Takayuki Toshima. Contact hole shrink process using graphoepitaxial directed self-assembly lithography. *JM3*, 12(3), 2013.
- [2] Seong-Jun Jeong, Ju Young Kim, Bong Hoon Kim, Hyoung-Seok Moon, and Sang Ouk Kim. Directed self-assembly of block copolymer for next generation nanolithography. *Materials Today*, 16(12):468–476, 2013.
- [3] David Z Pan, Bei Yu, and J-R Gao. Design for manufacturing with emerging nanolithography. *IEEE TCAD*, 32(10):1453–1472, 2013.
- [4] H.-S. Philip Wong, Chris Bencher, He Yi, Xin-Yu Bao, and Li-Wen Chang. Block copolymer directed self-assembly enables sublithographic patterning for device fabrication. In *Proc. SPIE*, volume 8323, 2012.
- [5] Yuansheng Ma, Junjiang Lei, Juan Andres Torres, Le Hong, James Word, Germain Fenger, Alexander Tritchkov, George Lippincott, Rachit Gupta, Neal Lafferty, Yuan He, Joost Bekaert, and Geert Vanderberghe. Directed self-assembly (dsa) grapho-epitaxy template generation with immersion lithography. In *Proc. SPIE*, volume 9423, 2015.
- [6] Azat Latypov, Tamer H. Coskun, Grant Garner, Moshe Preil, Gerard Schmid, Ji Xu, and Yi Zou. Simulations of spatial DSA morphology, DSA-aware assist features and block copolymer-homopolymer blends. In *Proc. SPIE*, volume 9049, 2014.
- [7] Sander Wuister, Tamara Druzhinina, Davide Ambesi, Bart Laenens, Linda He Yi, and Jo Finders. Influence of litho patterning on DSA placement errors. In *Proc. SPIE*, volume 9049, 2014.
- [8] Yuansheng Ma, J. Andres Torres, Germain Fenger, Yuri Granik, Julien Ryckaert, Geert Vanderberghe, Joost Bekaert, and James Word. Challenges and opportunities in applying grapho-epitaxy DSA lithography to metal cut and contact/via applications. In *Proc. SPIE*, volume 9231, 2014.
- [9] He Yi, Xin-Yu Bao, Jie Zhang, Richard Tiberio, James Conway, Li-Wen Chang, Subhasish Mitra, and H.-S. Philip Wong. Contact-hole patterning for random logic circuit using block copolymer directed self-assembly. In *Proc. SPIE*, volume 8323, 2012.
- [10] Yuelin Du, Zigang Xiao, Martin D.F. Wong, He Yi, and H.-S. Philip Wong. DSA-aware detailed routing for via layer optimization. In *Proc. SPIE*, volume 9049, 2014.
- [11] Zigang Xiao, Yuelin Du, Haitong Tian, Martin D. F. Wong, He Yi, H-S Philip Wong, and Hongbo Zhang. Directed self-assembly (DSA) template pattern verification. In *Proc. DAC*, pages 55:1–55:6, 2014.
- [12] Yuelin Du, Daifeng Guo, Martin D. F. Wong, He Yi, H.-S. Philip Wong, Hongbo Zhang, and Qiang Ma. Block copolymer directed self-assembly (DSA) aware contact layer optimization for 10 nm 1D standard cell library. In *Proc. ICCAD*, pages 186–193, 2013.
- [13] Zigang Xiao, Yuelin Du, Martin D.F. Wong, and Hongbo Zhang. DSA template mask determination and cut redistribution for advanced 1D gridded design. In *Proc. SPIE*, volume 8880, 2013.
- [14] Jiaojiao Ou, Bei Yu, Jih-Rong Gao, and David Z. Pan. Directed self-assembly cut mask assignment for unidirectional design. *JM3*, 14(3), 2015.
- [15] Yasmine Badr, Andres Torres, and Puneet Gupta. Mask assignment and synthesis of DSA-MP hybrid lithography for sub-7nm contacts/vias. In *Proc. DAC*, pages 70:1–70:6, 2015.
- [16] Yasmine Badr, Juan Andres Torres, Yuansheng Ma, Joydeep Mitra, and Puneet Gupta. Incorporating DSA in multipatterning semiconductor manufacturing technologies. In *Proc. SPIE*, volume 9427, 2015.
- [17] Kuang-Yao Lee and Ting-Chi Wang. Post-routing redundant via insertion for yield/reliability improvement. In *Proc. ASPDAC*, pages 303–308, 2006.
- [18] Kuang-Yao Lee, Cheng-Kok Koh, Ting-Chi Wang, and Kai-Yuan Chao. Fast and optimal redundant via insertion. *IEEE TCAD*, 27(12):2197–2208, 2008.
- [19] Gang Xu, Li-Da Huang, David Z Pan, and Martin DF Wong. Redundant-via enhanced maze routing for yield improvement. In *Proc. ASPDAC*, pages 1148–1151, 2005.
- [20] Huang-Yu Chen, Mei-Fang Chiang, Yao-Wen Chang, Lumdo Chen, and Brian Han. Full-chip routing considering double-via insertion. *IEEE TCAD*, 27(5):844–857, 2008.
- [21] Kuang-Yao Lee, Cheng-Kok Koh, Ting-Chi Wang, and Kai-Yuan Chao. Optimal post-routing redundant via insertion. In *Proc. ISPD*, pages 111–117, 2008.
- [22] Jiwoo Pak, Bei Yu, and David Z. Pan. Electromigration-aware redundant via insertion. In *Proc. ASPDAC*, pages 544–549, 2015.
- [23] Monaldo Mastrolili and Georgios Stamoulis. Constrained matching problems in bipartite graphs. In *Proc. ISCO*, pages 344–355, 2014.
- [24] Jan Plesnik. Constrained weighted matchings and edge coverings in graphs. *Discrete Applied Mathematics*, 92(2-3):229–241, Jun. 1999.
- [25] CBC. <http://www.coin-or.org/projects/Cbc.xml>.
- [26] OpenSPARC T1. <http://www.oracle.com/technetwork/systems/opensparc/index.html>.
- [27] Synopsys Design Compiler. <http://www.synopsys.com>.
- [28] NanGate FreePDK45 Generic Open Cell Library. <http://www.si2.org/openeda.si2.org/projects/nangatelib>, 2008.
- [29] Cadence SOC Encounter. <http://www.cadence.com>.