

CSCI2100: Regular Exercise Set 5

Prepared by Yufei Tao

Problems marked with an asterisk may be difficult.

Problem 1. Let S be a set of 9 integers $\{75, 23, 12, 87, 90, 44, 8, 32, 89\}$, stored in an array of length 9. Let us use quicksort to sort S . Recall that the algorithm randomly picks a pivot element, and then, recursively sorts two sets S_1 and S_2 , respectively. Suppose that the pivot is 89. What are the contents of S_1 and S_2 , respectively? The ordering of the elements in S_1 and S_2 does not matter.

Problem 2 (Sorting a Multi-Set). Let A be an array of n integers. Note that some of the integers may be identical. Design an algorithm to arrange these integers in non-descending order. For example, if A stores the sequence of integers $(35, 12, 28, 12, 35, 7, 63, 35)$, you should output an array $(7, 12, 12, 28, 35, 35, 35, 63)$.

Problem 3. Let S_1 be a set of n integers, and S_2 another set of n integers. Each of S_1 and S_2 is stored in an array of length n . The arrays are not necessarily sorted. Design an algorithm to determine whether $S_1 \cap S_2$ is empty. Your algorithm must terminate in $O(n \log n)$ time.

Problem 4* (Inversions). Consider a set S of n integers that are stored in an array A (not necessarily sorted). Let e and e' be two integers in S such that e is positioned before e' in A . We call the pair (e, e') an *inversion* in S if $e > e'$. Design an algorithm to count the number of inversions in S . Your algorithm must terminate in $O(n \log n)$ time.

For example, if the array stores the sequence $(10, 15, 7, 12)$, then your algorithm should return 3, because there are 3 inversions: $(10, 7)$, $(15, 7)$, and $(15, 12)$.

Problem 5* (Maxima). In two-dimensional space, a point (x, y) *dominates* another point (x', y') if $x > x'$ and $y > y'$. Let S be a set of n points in two-dimensional space, such that no two points share the same x- or y-coordinate. A point $p \in S$ is a *maximal point* of S if no point in S dominates p . For example, suppose that $S = \{(1, 1), (5, 2), (3, 5)\}$; then S has two maximal points: $(5, 2)$ and $(3, 5)$.

Suppose that S is given in an array of length n , where the i -th ($1 \leq i \leq n$) element stores the x- and y-coordinates of the i -th point in S (i.e., each element of the array occupies 2 memory cells). For example, $S = \{(1, 1), (5, 2), (3, 5)\}$ is given as the sequence of integers: $(1, 1, 5, 2, 3, 5)$. Design an algorithm to find all the maximal points of S in $O(n \log n)$ time.