

COMP3506/7505: Regular Exercise Set 3

Prepared by Yufei Tao

Problem 1. Prove $\log_2(n!) = \Theta(n \log n)$.

Problem 2. Let $f(n)$ be a function of positive integer n . We know:

$$\begin{aligned}f(1) &= 1 \\f(n) &= 2 + f(\lceil n/10 \rceil).\end{aligned}$$

Prove $f(n) = O(\log n)$. Recall that $\lceil x \rceil$ is the ceiling operator that returns the smallest integer at least x .

If necessary, you can use without a proof the fact that $f(n)$ is *monotone*, namely, $f(n_1) \leq f(n_2)$ for any $n_1 < n_2$.

Problem 3. Let $f(n)$ be a function of positive integer n . We know:

$$\begin{aligned}f(1) &= 1 \\f(n) &= 2 + f(\lceil 3n/10 \rceil).\end{aligned}$$

Prove $f(n) = O(\log n)$. Recall that $\lceil x \rceil$ is the ceiling operator that returns the smallest integer at least x .

Problem 4. Let $f(n)$ be a function of positive integer n . We know:

$$\begin{aligned}f(1) &= 1 \\f(n) &= 2n + 4f(\lceil n/4 \rceil).\end{aligned}$$

Prove $f(n) = O(n \log n)$. If necessary, you can use without a proof the fact that $f(n)$ is monotone.

Problem 5 (Bubble Sort). Let us re-visit the sorting problem. Recall that, in this problem, we are given an array A of n integers, and need to re-arrange them in ascending order. Consider the following *bubble sort* algorithm:

1. If $n = 1$, nothing to sort; return.
2. Otherwise, do the following in ascending order of $i \in [1, n - 1]$: if $A[i] > A[i + 1]$, swap the integers in $A[i]$ and $A[i + 1]$.
3. Recur in the part of the array from $A[1]$ to $A[n - 1]$.

Prove that the algorithm terminates in $O(n^2)$ time.

As an example, suppose that A contains the sequence of integers (10, 15, 8, 29, 13). After Step 2 has been executed once, array A becomes (10, 8, 15, 13, 29).